BARKE BONOM GROUP

Adagio 44 LBC



Specifications

- Length over all : 14,12m (46,33 ft)
- Hull length : 13,38m (43,9 ft)
- Beam : 4,10m (13,45 ft)
- Bridge Clearance : 3,50m (11,48 ft)
- Draft : 1,15m (3,77 ft)
- Displacement : 14t

Construction

Sea going category: CE B 6 people Hard handmaid laid moulded fibreglass, hull, deck, deckhouse, radar arch Polyurethane core sandwiched for deck cabin Epoxy barrier finish on the hull Inside planking in teak varnished in satin style Varnished teak & holly cabin sole Anodised aluminium window casement with safety glass and screen Port lights in moulded SS with screen Long keel



2 or 4 Full length cored FRP Longitudinal galvanised iron girders in the hull bottom with local transverse floors All exterior stainless steel fittings polished SS 316 Custom intake/exhaust system with intake vent on hull side CE norm

Mechanical

Engines: Volvo, Yanmar, Perkins, Cummins Double steering position with complete engine control & instrumentation Hydraulic steering Fiberglas muffler & waterlock 4 Blades/bronze propeller 1 or 2 Stainless steel rudder Stainless steel shaft with PSS drip less shaft seal 2 x 310lt Stainless steel water tank with meter as gauge 12V Fresh water pump 2 x 795lt FRP fuel tank, 2 visual gauge, hand hole clean out ports Fuel management system including by-pass valves with 1 Fuel/water separator per engine 110lt Holding tank with electric gauge, hand hole clean out ports and with deck side or overboard macerator pump-out 45lt Water heater calorifier & 220V 3 Automatic bilge pumps 1 Hand bilge pump 3 Windshield wipers pantograph

Electricity

Master electrical 12V & 220V with volt & amp meters Automatic batteries charger 40A 4 x 200A/H batteries Circuit breaker + & -16m Shore power cable 16A Cabin lights & engine room Network 220 V with fault interrupter Shaft zinc anodes (Magnesium on Extra) Copper bonding strap with ground cable attachment for each fitting

Engine room

Neon lighting 1 Outlet 220V GRP drip pan under main engine FRP engine room floor Acoustical foam insulation 2 Electric blower



Deck

8 Mooring choks and/or cleats Non-skid pattern Bow pulpit with two rolls &1000W electric windlass 20kg Stainless steel Anchor with 100m chain Port and starboard boarding gates

Fly bridge

Cushioned fly bridge lounge settee with storage Steering position with control panel with canvas Stainless steel destroyer wheel Locker for gas bottle Adjustable Grand comfort helm seat with canvas Plexiglas windscreen with stainless steel grab rail. Hatch on hardtop

Aft deck

Fiberglas hardtop with spots lights Moulded stair for access to swim platform Wet bar with sink & hot & cold running water 1 220V outlet

Guest stateroom

Side bed 2.00m x 1.40m in Galley Down & Island bed 2.00 x 1.40m in Galley Up Hatch & 2 Opening ports Wardrobe locker in cedar wood with lighting Many lockers & Shelf storage Lights & 2 Reading lamps 1 220V outlet

Guest head

Moulded one piece fibreglass construction Shower Electrical toilet Teak grate Shower automatic sullage pump Lighting & 1 220V outlet Toilet accessories Vented teak door Mirror & Opening port



Galley Up & Down

Fridge 220V 240lt in down version & 110lt in up version Seaward 3-burner range with oven Double sinks with cover Corian galley countertop Drawer and storage locker Lighting & 1 220 v outlet

Salon

Lounge settee with locker Stb sliding door with stair and locker for walk around Engine room access hatches with gas cylinder Lighting & 1 220 v outlet 3 opening windows Aft deck access teak stair 3 Windshield wipers Teak table convertible in two places bed

Interior steering

Teak steering wheel Single remote control & engine control panel Console for electronic equipment Electrical panel & batteries switches

Master stateroom

Island bed 2.00 x 1.50m Wardrobe locker in cedar wood with lighting Teak bedside vanity with drawer Additional drawer & locker 2 Mirrored wall surface Port & Stb Lights & 2 Reading lamps 1 Outlet 220V 4 ports stainless steel Opening hatch on aft wall bulkhead Lockable sliding pocket door

Master head

Moulded one piece fibreglass construction with shower & electrical toilet separate Thermostatic faucet in shower Teak grate Shower automatic sullage pump Lighting & 1 220V outlet Toilet accessories



Vented teak door Mirror & Opening port

Safety & miscellaneous

GRP swim platform with integrate folding swim ladder Solid stainless steel welded railing Deck shower on swim platform Owner manual Stem flagstaff in teak. Horn International navigation lights Any cloth of curtains and cushion as you like

Warranty

24 month limited warranty for all equipment & boat 60 month limited warranty on hull (depending condition)

LAYOUT MAIN DECK



LAYOUT LOWER DECK

